

AL36

Suitable for loader, bulldozer and earthmover



Outstanding Cut Resistance

- Large block and special compound design provide outstanding cut and wear resistance.

Excellent Stability

- Special tread pattern design provides excellent traction and self-cleaning.



Technical Parameter

SIZE	STAR RATING	TRA CODE	AELUS CODE	TYPE	RIM	O.D. (mm)	O.W. (mm)	LI/SS	OTD (mm)
15.5R25	★★	E-3/L-3	AL36	TL	12.00/1.3	1272	404	176A2	27
17.5R25	★★	E-3/L-3	AL36	TL	14.00/1.5	1345	445	182A2	28
20.5R25	★★	E-3/L-3	AL36	TL	17.00/2.0	1504	536	193A2	31
23.5R25	★★	E-3/L-3	AL36	TL	19.50/2.5	1620	600	201A2	35
26.5R25	★★	E-3/L-3	AL36	TL	22.00/3.0	1760	674	209A2	38.5

AL36

Suitable for loader, bulldozer and earthmover



Outstanding Cut Resistance

- Large block and special compound design provide outstanding cut and wear resistance.

Excellent Stability

- Special tread pattern design provides excellent traction and self-cleaning.

Technical Parameter

SIZE	STAR RATING	TRA CODE	AELUS CODE	TYPE	COMPOUND	RIM	O.D. (mm)	O.W. (mm)	LI/SS	OTD (mm)	TKPH
15.5R25	★★	E-3/L-3	AL36	TL	A	12.00/1.3	1272	404	160B	27	90
17.5R25	★★	E-3/L-3	AL36	TL	A	14.00/1.5	1345	460	167B	28	109
20.5R25	★★	E-3/L-3	AL36	TL	A	17.00/2.0	1504	536	177B	31	146
23.5R25	★★	E-3/L-3	AL36	TL	A	19.50/2.5	1620	600	185B	35	185
26.5R25	★★	E-3/L-3	AL36	TL	A	22.00/3.0	1760	674	193B	38.5	230